



Description

Metal joining piece with quick connection Click system for creating bends with Rejiband trays. The Rejiband clip attaches to the trays without screws. It is placed in the inside of the bend and joins the sections without the need of any specific tools for its assembly and installation. Made of steel and finished in electrozinc.

Advantages

Fixing by quick click system.

Quick installation without the need for screws or fastenings.

80% saving in installation time.

It facilitates the fast creation and assembly of bends in the trays.

Electrogalvanised finish (standard EN-ISO 2081), silver colour, suitable for indoor installations. Corrosion resistance class 3.

Applications

It is used for creating bends in Rejiband trays. It facilitates the installation of Rejiband wire mesh trays in cable management installations.

Solutions



Product data

Finish	E.G.	Resistance Class	Class 3
Fire Resistance	A1 No combustible	u	50 u
kg/u	0.006	Working temperature range (°C)	-50°/ 150°
Material	Steel with surface coating		

Coatings

PG/GS - Pre-Galvanised Finish. Resistance to corrosion according to EN-10346. Adequate for indoor installations.

EZ - Electrogalvanized, white, according to EN ISO 2081. Electrolytic zinc protection adequate for indoor installations.

BC - Electrogalvanized Bycro, yellow, in compliance with EN ISO 2081. Improved resistance to corrosion, especially adequate for demanding indoor installations.

GC - Hot-dipped galvanizing in compliance with EN ISO 1461. Appropriate for outdoor installations and aggressive environments.

BLACK C8 - High Resistance coating, Black Colour. Neutral Salt Spray Chamber test >1000 h acc. to ISO 9227.

304 and 316L stainless steel, in compliance with EN 10088 standard, with passivated Thermicron treatment. Appropriate for outdoor installations and highly aggressive environments.



Product applications

□ □ □

