



## Medium Duty Floor Cable Protector



Medium Duty profiles uncoil to effectively lay flat across surfaces, while the tapered sloping sides are pedestrian-friendly. The pre-split back enables users to simply retrofit the profile over the cables. Features combine so that cables can be contained within the cavity, with minimal risk of movement.

The unique connector pins provide an effective friction-fit connection that can be pushed-in, then later pulled apart, in adjoining lengths – to cover whatever length of cable is required. It is insufficient covering, say, only two-thirds of a trailing cable!

- Ideal for areas with regular foot traffic
- Protect cables, and address a common cause of trips and falls
- 30mm x 10mm cavity
- Ribbed non-slip base, pre-split rear for ease of use
- Flexible PVC - Neat tapered design, lengths uncoil to lay flat
- Fully safety tested and certified to BS EN 60670-1:2005



Code	Description
FC83B	(L) 1.8m x (W) 83mm x (H) 14mm Inner channel - (W) 30mm x (H) 10mm
FC83B/9M	(L) 9.0m x (W) 83mm x (H) 14mm Inner channel - (W) 30mm x (H) 10mm

# Medium Duty Floor Cable Protector

## Product Specification

- Produced from flexible PVC**
- Flexible to uncoil and lay flat, no adhesive tapes required
  - Abrasion resistant

- Popular usage**
- To protect cords across floors, and eliminate trip hazards
  - For health & safety
  - Ideal for areas with regular foot traffic

- Quality approvals**
- BSEN 60670-1:2005 PART 1

- UV stabilised**
- Yes

- Cavity size**
- 30x10mm for up to 3x 8mm (outer diameter) cables

- Dimensions**
- 83mm Width - Available as 1.8m or 9m length

- Weight**
- 1.8m = 1.3kg - 9m = 6.7kg

- Colour**
- Black

- Supplied with 2 connector rods**
- To push-in, pull apart
  - Length 10cm
  - Ribbed for friction fit
  - To make longer lengths
  - PVC, can bend & flex

- Packaging**
- Usually supplied coiled in cardboard box

- Recyclability**
- Yes