



Main

| | |
|---------------------------------|--|
| Range | Easy9 |
| Product or component type | Empty consumer unit |
| Enclosure type | Metal enclosure |
| Number of 18 mm modules per row | 8 |
| Provided equipment | earth/neutral terminal block busbar |

Complementary

| | |
|--|---------------------------------|
| Enclosure mounting | Surface |
| Total number of 18 mm modules | 8 |
| Number of horizontal rows | 1 |
| Number of ways | 8 ways |
| Enclosure material | Metal |
| Type of front cover | Plain |
| [In] rated current | 100 A |
| [Ue] rated operational voltage | 230/240 V |
| Network frequency | 50 Hz |
| Type of rail | DIN |
| Cable entry | Knock-out |
| Cable cross section | 1...25 mm ² incoming |
| Comb busbar and distribution block compatibility | YES |
| Net weight | 4.39 kg |
| Height | 276.8 mm |
| Width | 320.8 mm |
| Depth | 119.55 mm |
| Colour | White (RAL 9003) |
| Product compatibility | Easy9 switch |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Easy9 MCB
Easy9 SPD
Easy9 RCBO
Easy9 RCCB

Environment

| | |
|-------------------------|--------------------------------------|
| Standards | BS EN 61439-3 BS 7671:amendment 3 |
| IP degree of protection | IPxx D (on top) IP3x (with cover) |
| IK degree of protection | IK05 |
| Overvoltage category | II |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|