

OMNI FILAMENT GOLF BALL BULB E14 470LM 3.4W 2700K NON-DIMM 330 BEAM CLEAR INTEGRAL

ILGOLFE14NC028



Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Details

Quick Order Code: 437874

Barcode: 5055788215424

Category:LampsRange Name:Omni

Product Type: Mini Globe, Golf Ball

Market Segment: Commercial indoor, Residential indoor

Warranty (Years): 2
CE RoHS: Yes

Physical Data

Product Length (mm): 80
Product Width (mm): 45
Product Weight (g): 14

Material:Aluminium, GlassBase Term:Small Edison screw

Bulb Base: E14

Construction: Glass shell, Filament strip, Aluminium base

Globe Finish: Clear
Globe Type: Golf Ball

Bulb Fixing: Pendant, Wall, lamp stand, table lamp

Bulb or Luminaire Shape: Round

Placement / Application: Indoor, General Lighting

Electrical Data

Power (W): 3.4
Power Consumption (W): 3.4
Power Factor: 0.4
Voltage Range (v): 220-240

Wattage equivalent (W): 40
Amperage (mA): 28

Dimming: Non-Dimmable

Driver Included: Yes
Electric Current: AC
True Wattage Eq (W): 40

EN: EN-62560

LVD Certified: Yes

Light Data

Luminous Flux in Lumens (Im): 470
Luminous efficacy (Im/W): 138
Correlated Colour Temperature (CCT) (K): 2700

Colour Temperature: 2700K - Warm

Colour Temperature Name:WarmBeam Angle:330Colour Rendering Index (CRI):80Colour Type:SingleFrequency Range (Hz):50/60Instant on (Less than 1 second):Yes


LED Type: Filament chip

Lifetime (hours): 15000 Switching Cycles: 50000

Environment

EN: EN-62560

LVD Certified: Yes **CE RoHS:** Yes **Previous Energy Rating:** A++ **New Energy Rating:** D Hg 0% (Mercury Free): Yes **IP Rating (Ingress Protection):** IP20 **Lowest Operating Temperature (°C):** -20 Maximum Operating Temperature (°C): 40





Packaging

Package Weight (g):	24
Package Length (mm):	90
Package Width (mm):	50
Package Depth (mm):	50
Qty per euro pallet:	3840