

GX53 BULB 470LM 5W 2700K NON-DIMM 110 BEAM FROSTED INTEGRAL

ILGX53N001



Integral LED GX53 lamps are an ideal retrofit lamp for GX53 fittings in kitchen units, display cabinets and under-shelf lighting. These highly efficient lamps offer significant energy savings and long life compared to halogen equivalents.

Details

Barcode:	5055788222934
Quick Order Code:	432812
Category:	Lamps
Range Name:	GX53
Product Type:	GX53
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2

Physical Data

Product Length (mm):	25
Product Width (mm):	75
Product Weight (g):	50
Material:	Aluminium, Polycarbonate
Base Term:	GX53
Bulb Base:	GX53
Construction:	SMD, Plastic Body
Globe Finish:	Frosted
Globe Type:	GX53
Bulb Fixing:	Under Shelf Lighting, Display Cabinets
Bulb or Luminaire Shape:	Round
Placement / Application:	Indoor, Outdoor, General Lighting

Electrical Data

Power (W):	5
Power Consumption (W) :	5
Power Factor:	0.5
Voltage Range (v):	220-240
Wattage equivalent (W):	40
Amperage (mA):	40



Dimming:	Non-Dimmable
Driver Included:	Yes
Electric Current:	AC
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	470
Luminous efficacy (lm/W):	94
Correlated Colour Temperature (CCT) (K):	2700
Colour Temperature:	2700 - Warm
Colour Temperature Name:	Warm
Beam Angle:	110
Colour Rendering Index (CRI):	80
Frequency Range (Hz):	50/60
Instant on (Less than 1 second):	Yes
LED Type:	Surface mounted device (SMD)
Lifetime (hours):	15000
Switching Cycles:	50000

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
New Energy Rating:	F
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

Barcode:	5055788222934
-----------------	---------------

Single box qty:	1
Package Weight (g):	65
Package Length (mm):	75
Package Width (mm):	75
Package Depth (mm):	26
Inner Carton Barcode:	05055788222958
Qty per Inner Carton :	10
Inner Carton Length (mm):	163
Inner Carton Width (mm):	145
Inner Carton Depth (mm):	26
Outer Carton Barcode:	05055788222972
Qty per Outer Carton:	100
Outer Carton Length (mm):	435
Outer Carton Width (mm):	310
Outer Carton Depth (mm):	185
Qty per euro pallet:	4800