

**OMNI FILAMENT GLS BULB E27 470LM 3.4W 2700K DIMMABLE 330 BEAM
CLEAR FULL GLASS INTEGRAL**

ILGLSE27DC052



Integral Filament Omni GLS Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in ceiling pendants and fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Details

Barcode:	5055788222439
Quick Order Code:	400761
Category:	Lamps
Range Name:	Omni
Product Type:	GLS
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2

Physical Data

Product Length (mm):	108
Product Width (mm):	60
Product Weight (g):	32
Material:	Aluminium, Glass
Base Term:	Edison screw
Bulb Base:	E27
Construction:	Glass shell, Filament strip, Aluminium base
Globe Finish:	Clear
Globe Type:	GLS
Bulb Fixing:	Pendant, Wall, lamp stand, table lamp
Bulb or Luminaire Shape:	Round
Placement / Application:	Indoor, General Lighting

Electrical Data

Power (W):	3.4
Power Consumption (W) :	3.4
Power Factor:	0.5
Voltage Range (v):	220-240



Wattage equivalent (W):	40
Amperage (mA):	19
Dimming:	Mains dim
Driver Included:	Yes
Electric Current:	AC
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	470
Luminous efficacy (lm/W):	138
Correlated Colour Temperature (CCT) (K):	2700
Colour Temperature:	2700 - Warm
Colour Temperature Name:	Warm
Beam Angle:	330
Colour Rendering Index (CRI):	80
Compatible Dimmers:	Varilight JQP401W
Frequency Range (Hz):	50/60
Instant on (Less than 1 second):	Yes
LED Type:	Filament chip
Lifetime (hours):	15000
Switching Cycles:	50000

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
New Energy Rating:	D
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

Barcode:	5055788222439
Single box qty:	1
Package Weight (g):	35
Package Length (mm):	120
Package Width (mm):	65
Package Depth (mm):	65
Inner Carton Barcode:	05055788222514
Qty per Inner Carton :	10
Inner Carton Length (mm):	340
Inner Carton Width (mm):	140
Inner Carton Depth (mm):	130
Outer Carton Barcode:	05055788222590
Qty per Outer Carton:	40
Outer Carton Length (mm):	358
Outer Carton Width (mm):	305
Outer Carton Depth (mm):	290
Qty per euro pallet:	1440