

**OMNI FILAMENT GLS BULB B22 806LM 7.3W 2700K DIMMABLE 320 BEAM
CLEAR FULL GLASS INTEGRAL**

ILGLSB22DC055

**Details**

| | |
|--------------------------|---------------------------------------|
| Quick Order Code: | 671830 |
| Barcode: | 5055788222460 |
| Category: | Lamps |
| Range Name: | Omni |
| Product Type: | GLS |
| Market Segment: | Commercial indoor, Residential indoor |
| Warranty (Years): | 2 |
| CE RoHS: | Yes |

Physical Data

| | |
|---------------------------------|---|
| Product Length (mm): | 103 |
| Product Width (mm): | 60 |
| Product Weight (g): | 44 |
| Material: | Aluminium, Glass |
| Base Term: | Bayonet cap |
| Bulb Base: | B22 |
| Construction: | Glass shell, Filament strip, Aluminium base |
| Globe Finish: | Clear |
| Globe Type: | GLS |
| Bulb Fixing: | Pendant, Wall, lamp stand, table lamp |
| Bulb or Luminaire Shape: | Round |
| Placement / Application: | Indoor, General Lighting |

Electrical Data

| | |
|--------------------------------|----------|
| Power (W): | 7.3 |
| Power Consumption (W) : | 7.3 |
| Power Factor: | 0.7 |
| Wattage equivalent (W): | 60 |
| Amperage (mA): | 55 |
| Dimming: | Dimmable |
| Driver Included: | Yes |
| Electric Current: | AC |



EN: EN-62560
LVD Certified: Yes

Light Data

Luminous Flux in Lumens (lm): 806
Luminous efficacy (lm/W): 110
Correlated Colour Temperature (CCT) (K): 2700
Colour Temperature: 2700K - Warm
Colour Temperature Name: Warm
Beam Angle: 320
Colour Rendering Index (CRI): 80
Compatible Dimmers: Varilight JQP401W
Frequency Range (Hz): 50
Instant on (Less than 1 second): Yes
LED Type: Filament chip
Lifetime (hours): 15000
Switching Cycles: 7500

Environment

EN: EN-62560
LVD Certified: Yes
CE RoHS: Yes
Previous Energy Rating: A+
New Energy Rating: E
Hg 0% (Mercury Free): Yes
IP Rating (Ingress Protection): IP20
Lowest Operating Temperature (°C): -20
Maximum Operating Temperature (°C): 40



Packaging

Package Weight (g): 50
Package Length (mm): 65
Package Width (mm): 65
Package Depth (mm): 120

Portal.integral-led.com

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE

Portal.integral-led.com

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE