

R7S BULB 118MM 1200LM 9.5W 2700K NON-DIMM 360 BEAM CLEAR INTEGRAL

ILR7SN005



General

Warranty (Years)	2
Product Type	R7S

Physical Data

Bulb Base	R7S
Base Term	R7S
Construction	Polycarbonate

Light Data

Luminous Flux in Lumens (lm)	1200
Luminous efficacy (lm/W)	126
Instant on (Less than 1 second)	Yes
Correlated Colour Temperature (CCT) (K)	2700
Colour Temperature Name	Warm
Switching cycles	7500
Lifetime (hours)	15000
LED Type	Surface mounted device (SMD)
Colour Rendering Index (CRI)	80
Beam Angle	360
Lumens Range	850 to 1500

Electrical Data

Power Consumption (Range)	8 to 15
Input Current (A)	88
Wattage equivalent (W)	83
Power Consumption (w)	9.5
Voltage Range (v)	220-240

Environmental

New Energy Rating	E
IP Rating (Ingress Protection)	IP20
Previous Energy Rating	A++

Electrical Data, Environmental

EN	EN 61547:2009
-----------	---------------

Product Specification

Warranty (Years)	2
Housing Material	Polycarbonate

Key Features

Bullet 1	Warm Light
Bullet 2	1200 Lumens
Bullet 3	Non-Dimmable

Environmental Specification

Minimum operating temperature (degrees Celcius)	-20
Maximum operating temperature (degrees Celcius)	40