

PYGMY BULB E14 144LM 1.5W 2700K NON-DIMM 240 BEAM FROSTED INTEGRAL

ILPYGE14N001



General

Warranty (Years)	2
Product Type	Pygmy

Physical Data

Globe Type	Pygmy
Bulb Base	E14
Base Term	Small Edison screw
Construction	Plastic heat-sink, Injection moulded diffuser

Light Data

Luminous Flux in Lumens (lm)	144
Luminous efficacy (lm/W)	96
Instant on (Less than 1 second)	Yes
Correlated Colour Temperature (CCT) (K)	2700
Colour Temperature Name	Warm
Beam Angle (Range)	220+
Switching cycles	12500
Lifetime (hours)	15000
LED Type	Surface mounted device (SMD)
Colour Rendering Index (CRI)	80
Beam Angle	240
Lumens Range	100 to 250

Electrical Data

Power Consumption (Range)	1.5 to 3
Input Current (A)	13

Wattage equivalent (W)	15
Power Factor	0.3
Power Consumption (w)	1.5
Voltage Range (v)	220-240

Environmental

New Energy Rating	F
IP Rating (Ingress Protection)	IP20
Previous Energy Rating	A++

Electrical Data, Environmental

EN	EN-62560
LVD Certified	Yes

Product Specification

Warranty (Years)	2
Housing Material	Plastic and Aluminium heat-sink, Injection moulded diffuser

Key Features

Bullet 1	Warm Light
Bullet 2	144 Lumens
Bullet 3	Non-Dimmable
Bullet 4	Frosted
Bullet 5	240 deg Beam Angle

Environmental Specification

Minimum operating temperature (degrees Celcius)	-20
Maximum operating temperature (degrees Celcius)	40