

TS900N

24 Hour Immersion Heater Time Controller

Features & Benefits

- For total control of your hot water
- Switches ON and OFF at preset times
- Easy to use setting pins
- 30 minute minimum switching interval
- Switching interval can be increased in 15 minutes steps
- Bottom or rear entry for cable
- Manual override until next programme change



Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Surface
Earth Class Rating	Class II
Operating Temperature	0°C to 40°C
Ingress Protection Rating	IP20
Setting Type	Setting Pins
Program Modes	24 Hour
Switch type	Single Pole
Standby Consumption	<1W
Switch rating	13A Resistive, 80W LED, 400W Halogen, 60W CFL

Data sheet

TS900N

Time / Immersion & General Purpose Timeswitches

Shortest Switching Time	15 Minutes
Cable Entry(s)	Back Entry, Bottom Entry

General

Weight (g)	151
Height (mm)	122
Width (mm)	74
Depth (mm)	41.6
Body Construction	Polycarbonate
Product Colour	White
Accessories (Included)	Rawl Plugs, Screws
EAN Number	5012483013380
Guarantee Period	3 Years

Data sheet

TS900N

Time / Immersion & General Purpose Timeswitches

Line Diagrams

