

# TRT035N

## 7 Day Programmable Room Thermostat with Frost Protection



### Features & Benefits

- 7 day time and temperature programming with digital accuracy
- 6 different time/temperature periods (5 day and 2 or 7 day programming)
- Easy +/- illuminated push button settings
- Programme copy function for quick and easy setting
- Easy view time and temperature display illuminates on setting
- Frost protection setting
- Temperature swing adjustment (using DIP switches) between a 0.5°C and 1°C
- Optimum start feature (up to temperature at the time the programme is due to start)
- Voltage free change over contacts
- Display battery powered using 2x 1 and a 0.5V AA batteries supplied

### Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Surface
Earth Class Rating	Class II
Operating Temperature	0°C to 40°C

# Data sheet

## TRT035N

Climate / Programastat Plus

<b>Connection</b>	2 Wire
<b>Setting Type</b>	Digital
<b>Battery Type</b>	x2 AA Batteries
<b>Power Reserve</b>	Depends on usage
<b>Set Temperature Range</b>	5°C to 35°C, User Adjustable
<b>ErP Product Class</b>	Class IV
<b>Temperature Swing (Hysteresis)</b>	1°C or 0.5°C
<b>Optimum Start</b>	Supported
<b>Program Modes</b>	24 Hour/7 Day, Frost Protection Mode
<b>Switch type</b>	Single Pole
<b>Voltage Free Contacts</b>	Normally Open, Normally Closed (Changeover)
<b>Mounting Hole Centres (mm)</b>	60
<b>Standby Consumption</b>	<01mW
<b>Switch rating</b>	3A Resistive, 1A Inductive
<b>Programmable Slots</b>	6 Programmed Temperature Periods (Per Day)
<b>Cable Entry(s)</b>	Back Entry

## General

<b>Weight (g)</b>	192.9
<b>Height (mm)</b>	90
<b>Width (mm)</b>	135
<b>Depth (mm)</b>	30
<b>Body Construction</b>	Polycarbonate
<b>Product Colour</b>	White

# Data sheet

## TRT035N

Climate / Programastat Plus

<b>Accessories (Included)</b>	Rawl Plugs, Screws, x2 AA Batteries
<b>EAN Number</b>	5012483014417
<b>Guarantee Period</b>	3 Years

### Line Diagrams

