

# TRT038N

## 7 Day Digital Heating Programmer – 3 Channel



### Features & Benefits

- 3 independently programmed channels
- Suitable for fully pumped systems
- Simple push button control (illuminates on setting)
- 3 timed control periods (5 day plus 2 or 7 day)
- Holiday mode, 1 and 2 hour boost function
- Always ON and OFF override mode
- Blue LED screen illuminates upon setting
- Optional automatic summer/winter changeover
- Voltage free change over contacts
- 24 hour factory fitted rechargeable battery backup

### Technical Data

|                       |                        |
|-----------------------|------------------------|
| Operating Voltage     | 230V AC                |
| Frequency             | 50Hz                   |
| Installation Type     | Surface                |
| Earth Class Rating    | Class II               |
| Operating Temperature | 0°C to 40°C            |
| Connection            | 3 Wire                 |
| Setting Type          | Digital                |
| Battery Type          | 3.6V 40mA Rechargeable |
| Power Reserve         | 7 Days                 |

# Data sheet

## TRT038N

Climate / Programastat Plus

|                                   |  |
|-----------------------------------|--|
| <b>Program Modes</b>              | 24 Hour/7 Day, Holiday Mode, 1 or 2 Hour Boost |
| <b>Switch type</b>                | Single Pole, Double Throw (SPDT)               |
| <b>Voltage Free Contacts</b>      | Normally Open                                  |
| <b>Mounting Hole Centres (mm)</b> | 60   |
| <b>Standby Consumption</b>        | <1.5W  |
| <b>Switch rating</b>              | 3A Resistive, 1A Inductive                     |
| <b>Shortest Switching Time</b>    | 1 Minute                                       |
| <b>Programmable Slots</b>         | 3 ON, 3 OFF (Per Channel)                      |
| <b>Cable Entry(s)</b>             | Back Entry                                     |

### General

|                               |                    |
|-------------------------------|--------------------|
| <b>Weight (g)</b>             | 281                |
| <b>Height (mm)</b>            | 100                |
| <b>Width (mm)</b>             | 150                |
| <b>Depth (mm)</b>             | 32                 |
| <b>Body Construction</b>      | Polycarbonate      |
| <b>Product Colour</b>         | White              |
| <b>Accessories (Included)</b> | Rawl Plugs, Screws |
| <b>EAN Number</b>             | 5012483014448      |
| <b>Guarantee Period</b>       | 3 Years            |

## Line Diagrams

