

Eaton TIS40

Catalog Number: TIS40

Fuse-link, LV, 40 A, AC 660 V, DC 460 V, BS88/A3, 22 x 86 mm, gL/gG, BS



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	TIS40
	EAN
	5027590514323
UPC	Product Length/Depth
051712484954	84.5 mm
Product Height	Product Width
21 mm	21 mm
Product Weight	Compliances
49 g	Not Applicable
Certifications	
IEC Rated	

Electrical data

Amperage Rating

40 A

Voltage rating

690 V

Voltage type

AC/DC

Breaking capacity

80 kA

Class

Class gG/gL

Compatible fuse holder

Suitable for

CM63F Camaster fuse holder

RS63 Red spot fuse holder

Product specifications

Fuse type

TIS

Fitted with:

Offset bolted tags

Construction

BS88/A3

Resources

Catalogues

[CA134002EN](#)

Compliance information

[CE Redspot fuse-links](#)

[UKCA Redspot fuse-links](#)

Installation videos

[Video BS88 industrial fuse links](#)

Multimedia

[Eaton Bussmann - Red Spot fuse links](#)

Technical data sheets

[10020 Red spot offset bolted tags fuses: NIT, NET, TIA, TIS, TCP, TFP fuses](#)

Technical service bulletins

[Datasheet - TIS40](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia