



CorePro Plastic LEDbulbs

CorePro LEDbulb D 8.5-60W A60 E27 927

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
EU RoHS compliant	Yes
Light Technical	
Color Code	927
Beam Angle (Nom)	150 degree(s)
Luminous Flux	806 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	94.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz

Input Frequency	50 to 60 Hz
Power Consumption	8.5 W
Lamp Current (Nom)	45 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.9
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	85 °C
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]
Approval and Application	
Energy Efficiency Class	F

CorePro Plastic LEDbulbs


Energy Consumption kWh/1000 h	9 kWh
EPREL Registration Number	391915
EyeComfort	Yes

Product Data

Order product name	CorePro LEDbulb D 8.5-60W A60 E27 927
Full product name	CorePro LEDbulb D 8.5-60W A60 E27 927
Full product code	87186996064200



Order code	66064200
Material Nr. (12NC)	929002069102
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718699660642
Numerator - Packs per outer box	10
EAN/UPC - Case	8718699660659

Dimensional drawing




Product	D	C
CorePro LEDbulb D 8.5-60W A60 E27 927	60 mm	110 mm

Photometric data



General uniform lighting - CorePro LEDbulb D 8.5-60W A60 E27 927


Light Distribution Diagram - CorePro LEDbulb D 8.5-60W A60 E27 927




Spectral Power Distribution Colour - CorePro LEDbulb D 8.5-60W A60 E27 927

CorePro Plastic LEDbulbs

Lifetime



Lumen Maintenance Diagram - CorePro LEDbulb D 8.5-60W A60 E27 927



Life Expectancy Diagram - CorePro LEDbulb D 8.5-60W A60 E27 927

