

#### Sutton Batten 5ft Twin 50W 4000K White H3



### **Product Information**

Product Group	Linear Lighting		
Description	Sutton Batten 5ft Twin 50W 4000K White H3		
Product Name	Sutton Batten		
Product Type	LED Linear		
Product Colour	White RAL9016		
Warranty	5 Years		

## **General Information**

IP Rating	IP20
IK Rating	IK04
Operating Temperature	0 - 30 °C
Beam Angle	120 Degree
Body Material	Aluminium





### 430041-H3

### **Technical Specification**

Diffuser Material	Polycarbonate	
Mounting Type	Surface	
BESA Mount	true	

### **LED Information**

LED Type	SMD
LED Manufacturer	San'an
Lumen Output +/- 10%	6030lm
Lumens Per Circuit Watt	117Lm/W
LED Lifetime L70	50000 h
ССТ	4000K
CRI	<80

#### **Electrical Information**

Class	Class I
Connection Type	Push Terminal
Circuit Wattage	51.8W

#### **Driver Information**

Driver Brand	Tridonic
Input Voltage	220 -240V AC
Input Current	0.22A
Operating Frequency	50 - 60Hz
Power Factor	<0.90





# **Emergency Information**

Battery Type	Ni-Cd
Battery Capacity	4500mAh
Battery Warranty	2 years
Recharge Time	24 h
Emergency Type	Maintained
Test Procedure	Manual
Emergency Duration	3 Hours
Emergency Output (Lm)	400 lm
Inverter Pf	0.82

# **Shipping Information**

Product Weight	1.5Kg
Carton Dimensions	1555mm x 300mm x 160mm
Qty Per Outer Carton	8
Packaged Weight ea.	1.8Kg
Barcode	5055379535726

## Certification

Manufactured in Accordance to	BS EN 60598-1   BS EN 60598-2-22	
CE Marked	Yes	
Origin of Manufacturer	China	

## **Product Dimensions**






430041-H3		Technical Specification
(B)	64 mm	
(A)	62 mm	
(C)	1524 mm	







Datasheet generated by https://www.onetimepim.com, last updated: Friday, 02 July 2021 01:04:34

