

430021-PIR

Technical Specification

Lifford Floodlight AC 80W 4000K Black PIR



## Product Information

<b>Product Group</b>	Exterior Lighting
<b>Description</b>	Lifford Floodlight AC 80W 4000K Black PIR
<b>Product Name</b>	Lifford
<b>Product Type</b>	LED Floodlight
<b>Product Colour</b>	Black
<b>Warranty</b>	3 Years

## General Information

<b>IP Rating</b>	IP65
<b>Operating Temperature</b>	-20 - 30 °C
<b>Beam Angle</b>	120 Degree
<b>Body Material</b>	Diecast Aluminium
<b>Diffuser Material</b>	Tempered Glass

**430021-PIR**

**Technical Specification**

**Mounting Type** Wall Mount Only

## LED Information

**LED Type** SMD

**Lumen Output +/- 10%** 7500lm

**Lumens Per Circuit Watt** 89Lm/W

**LED Lifetime L70** 30000 h

**CCT** 4000K

**CRI** >80

## Electrical Information

**Class** Class I

**Circuit Wattage** 79.8W

**Connection Type** Flying Lead

**Cable Length** 1m H05RN-F 3 core

## Driver Information

**Input Voltage** 220 - 240V AC

**Input Current** 0.348 A

**Operating Frequency** 50 - 60Hz

**Power Factor** >0.90

## Sensor Information

**Sensor Type** PIR

430021-PIR

Technical Specification

Hold Time 10 seconds -7 mins

Detection Area 2m - 8m

Detection Radius 120 Degrees

## Shipping Information

Product Weight 2.56Kg

Carton Dimensions 350mm x 400mm x 310mm

Barcode 5055379535832

## Certification

Manufactured in Accordance to BS EN 60598-1

CE Marked CE & UKCA

## Product Dimensions


(C) 64 mm

(A) 280 mm

(B) 318 mm

430021-PIR

Technical Specification



Datasheet generated by <https://www.onetimepim.com>, last updated: Friday, 02 July 2021 01:03:31