

Technical Specification

Stanford Anti-Corrosive 5ft Twin 57W 5000K Grey



Product Information

Product Group	Linear Lighting
Description	Stanford Anti-Corrosive 5ft Twin 57W 5000K Grey
Product Name	Stanford
Product Type	LED Anti-Corrosive
Product Colour	Grey
Warranty	5 Years

General Information

IP Rating	IP65
IK Rating	IK08
Operating Temperature	-20 - 40 °C
Beam Angle	115 Degree
Body Material	ABS

Tel: 01507 328031 | Email: sales@lumineux.co.uk | www.lumineux.co.uk B&T Associates Ltd, Manby Business Park, Manby, Louth, Lincolnshire, LN11 8UT, UK Information and specification is subject to change without prior notice. Lumineux terms and conditions apply.





Technical Specification

СІір Туре	Stainless Steel
Diffuser Material	Polycarbonate
Mounting Type	Surface Mount Suspended

LED Information

LED Type	SMD
LED Manufacturer	SMALITE
Lumen Output +/- 10%	8353lm
Lumens Per Circuit Watt	138Lm/W
LED Lifetime L70	50000 h
сст	5000K
CRI	>80

Electrical Information

Class	Class I
Connection Type	Screw Terminal
Circuit Wattage	60.7W

Driver Information

Driver Brand	Tridonic ENEC
Input Voltage	220 - 240V AC
Input Current	0.269 A
Operating Frequency	50 - 60Hz
Power Factor	>0.90





Technical Specification

Shipping Information

Product Weight	2.65Kg
Carton Dimensions	1595mm x 300mm x 205mm
Qty Per Outer Carton	4
Barcode	5055379534460

Certification

Manufactured in Accordance to	BS EN 60598-1
CE Marked	Yes


Product Dimensions

(C)	1574 mm
(A)	90 mm
(B)	140 mm





Technical Specification



Datasheet generated by https://www.onetimepim.com, last updated: Friday, 02 July 2021 01:04:19

Tel: 01507 328031 | Email: sales@lumineux.co.uk | www.lumineux.co.uk B&T Associates Ltd, Manby Business Park, Manby, Louth, Lincolnshire, LN11 8UT, UK Information and specification is subject to change without prior notice. Lumineux terms and conditions apply.

