

430019-PIR

Technical Specification

Lifford Floodlight AC 30W 4000K Black PIR



Product Information

Product Group	Exterior Lighting
Description	Lifford Floodlight AC 30W 4000K Black PIR
Product Name	Lifford
Product Type	LED Floodlight
Product Colour	Black
Warranty	3 Years

General Information

IP Rating	IP65
Operating Temperature	-20 - 30 °C
Beam Angle	120 Degree
Body Material	Diecast Aluminium
Diffuser Material	Tempered Glass

430019-PIR

Technical Specification

Mounting Type Wall Mount Only

LED Information

LED Type SMD

Lumen Output +/- 10% 2550lm

Lumens Per Circuit Watt 87Lm/W

LED Lifetime L70 30000 h

CCT 4000K

CRI >80

Electrical Information

Class Class I

Circuit Wattage 29.2W

Connection Type Flying Lead

Cable Length 1m H05RN-F 3 core

Driver Information

Input Voltage 220 - 240V AC

Input Current 0.142 A

Operating Frequency 50 - 60Hz

Power Factor >0.90

Sensor Information

Sensor Type PIR

430019-PIR

Technical Specification

Hold Time 10 seconds -7 mins

Detection Area 2m - 8m

Detection Radius 120 Degrees

Shipping Information

Product Weight 0.618Kg

Carton Dimensions 420mm x 320mm x 480mm

Barcode 5055379533050

Certification

Manufactured in Accordance to BS EN 60598-1

CE Marked CE & UKCA

Product Dimensions


(C) 54 mm

(A) 185 mm

(B) 180 mm

430019-PIR

Technical Specification



Datasheet generated by <https://www.onetimepim.com>, last updated: Friday, 02 July 2021 01:03:28