

Circuit Protection / Powerbreaker Portable RCD

RCD PowerBreaker In line 16A 240V



Technical Specification

Product Code	J62-T
Feature 1	Suitable for BS or European power supply system
Feature 2	Robust Construction
Feature 3	Mechanical flag indicator
Feature 4	Double Pole Breaking
Barcode	5012739606441
CE	Y
Colour	Orange (Tangerine)
Company DUNS Number	216156018
Country of Origin	China
Current (I)	16
Degree of Protection	65

Finish body	Gloss
Fixings supplied with product	None
Frequency (Hz) max	60
Frequency (Hz) min	50
Greenbrook Guarantee (Years)	1
HS Code	8536201090
Ingress Protection (IP)	IP65
Installation method	inline
Latching	Active
Materials Main Body	Polycarbonate
Max Operating Current	16
Min Order Qty	1
Operating Temperature Range max C	40
Operating Temperature Range min C	-5
Package Product Max. Length (mm)	180
Package Product Max. Height (mm)	85
Package Product Max. Width (mm)	102
Package Product Weight gross (g)	292
Product (only) Max. Depth (mm)	50.8
Product (only) Max. Height (mm)	161.5
Product (only) Max. Width (mm)	47
Product Weight net (g)	232
RCD Contact Break	Double pole
RCD Type	AC
Sales Pack Qty	1
StatusCode	Active
UKCA	Y
Voltage (VAC) MAX (V)	240
Voltage (VAC) Min (V)	220
Voltage (VAC) Rated (V)	230
Wattage (W)	3600
Feature 5	Separate test and reset button

Tel No: 01279 772 772

Email: sales@greenbrook.co.ukWebsite: www.greenbrook.co.uk

