

Data sheet

Commercial Art.No.: Z7.284.4227.0

Jumper bar IVBWKF 16- 2

Cross connector, insulated for DIN rail terminal blocks type WKF..., 2 -pole



Commercial Art.No.	Z7.284.4227.0
EAN	4015573533516
Order Unit	10

Certificates / Approvals

ATEX

SEV-Ex

Technical data

General

Color	yellow
Modular spacing	12 mm
Number of bridged clamps	2
Mounting method	pluggable
Insulated	yes
Model	Cross connector

Accessories

Mounting method	pluggable
Insulated	yes
Color	yellow
Number of bridged clamps	2
Modular spacing	12 mm




Classification

ECLASS 11	
ECLASS 8.1	27141140
ETIM 7.0	EC000489
ETIM 6.0	EC000489
ETIM 5.0	EC000489
ETIM 4.0	EC000489
ETIM 3.0	EC000489

ROHS conformity status	Compliant
REACH-SVHC conformity status	Compliant

These dimensions will be especially checked at delivery
 Only inspection dimensions
 With /E marked dimensions are only valid for internal use

Diese Maße werden bei Abnahme besonders geprüft
 Ausschließlich Prüfmaße
 Mit /E gekennzeichnete Maße sind nur für interne Zwecke gültig



Weitere Daten siehe Katalog
 further data see catalog

ISO
 M1 : 1

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Die Reproduktion, Distribution und Utilization of this document as well as the communication of its contents to others without express authorization is prohibited.

Tolerierung Size ISO 14405(☉)/Tolerance system Size ISO 14405(☉). (This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances).				ja/yes <input checked="" type="checkbox"/> Stoffverbots- und Deklarationsliste nach UU-TQM-05/03 ist einzuhalten. Conformity with Wieland document UU-TQM-05/03 (list of prohibited / declarable hazardous substances) to be declared!					
Freitoleranz nach General tolerance		DIN ISO 2768 - m		CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed		I.Verwendung: - First Use:		Blatt: 1 von 1 Sheet: 1 of 1	
/		Werkstoff/Material		2013 Tag/Date		Name		Zeichnung Nr./Drawing No.	
/		/		gezeichnet drawn		05.03.		Treschan	
/		Maßstab/Scale		geprüft checked		-		-	
/		2:1		Normgepr. Stand., check		-		-	
/		Vol. mm ³ Oil./Surf. mm ²		Ersatz für/Replacement for: gl.Nr.v. 10.11.2004 (a)					
/		wieland		Type		Benennung/Tittle			
a		05.03.2013/		IVB WKF		VERBINDUNGSSTECKER			
Index		Datum / Blatt Date / Sheet		16-2		jumper bar gelb / yellow			
Änderung/Revision		Elektrische Verbindungen							