

## Commissioning

- Clip product back onto fixing brackets by pushing until securely held.
- Replace fuse or circuit breaker and switch on. Your light is now ready for use.

## Fitting/replacing bulbs

- The LED module in these products is non-replaceable.
- If any damage occurs these fittings should be discarded.

We recommend cleaning with a soft dry cloth.  
Do not use solvents or abrasive cleaners as these could damage the finish.

## Recycling advice



Waste electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or retailer for recycling advice.

## Safety information

**Live Voltages may be present in this unit even when turned off or when completely disconnected.** For your safety, always switch off the power supply before cleaning.

## Instruction leaflet

# EcoLinear

73534, 90129



saxby  
lighting

Thank you for purchasing this light fitting. Please read the instructions carefully before use to ensure safe and satisfactory operation of this product. Please retain these instructions for future reference.

## Warning



**This product is double insulated and does not require connection to an earth circuit**



**Caution! Risk of electric shock!**

Please read these instructions carefully before commencing any work.

This unit must be fitted by a competent and qualified electrician.

Install in accordance with IEE Wiring regulations and current Building Regulations.

To prevent electrocution switch off at mains supply before installing or maintaining this fitting. Ensure other persons cannot restore the electrical supply without your knowledge. If you are in any doubt, please consult a qualified electrician.

If replacing an existing fitting, make a careful note of the connections.

Waste electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your local authority or retailer for recycling advice.

This product is rated at IP20.

This light fitting contains non-replaceable parts and cannot be serviced.

If damage occurs the part should be discarded.


This product is not dimmable.

## Installation

Existing fittings must be completely removed before installation of a new product. **Before removing the existing fitting, carefully note the position of each set of wires.**

- Remove two plastic fixing brackets from the back of the batten.
- Hold the brackets in place on chosen mounting surface and mark the position of the fixing holes. Ensure the correct distance is measured between the brackets and ensure the product hangs level.

- Ensure the ceiling or wall is capable of holding the weight of the product and then fix brackets in place. Take care to avoid damaging any concealed wiring and pipes. The correct fixings should be used for brick, cavity walls or plasterboard.
- Unscrew terminal block casing and connect the supply cable to the terminal block as shown below.



## Specification

Voltage:	240V 50Hz a.c.
Lamp:	73534----22W LED Module, 4000K 90129----18W LED Module, 4000K
IP rating:	20


## Layout

- This product can be installed on the ceiling or wall.
- Ensure the ceiling or wall is capable of holding the weight of the product.
- Cables in walls must be protected using suitable conduit or plastic trunking.
- The mains supply cable must have a minimum cross sectional area of 1.0mm<sup>2</sup>

## Wiring

This product is double insulated and must not be earthed. If there are any incoming earth cables, they must be joined together and well insulated with good quality insulation tape. This is to ensure earth continuity throughout your property.

Having correctly identified the wiring from your existing light fitting and connect to the connection block inside the product in the following way:



## Check that...

- You have correctly identified the wires
- The connections are tight
- No loose strands have been left out of the connection block.