

# TGBT4N

## 4 Hour Electronic Boost Timer

### Features & Benefits

- Automatic timer countdown selection for up to 4 hours.
- Typical applications such as immersion heaters, room heaters, towel rails and lighting.
- Fits a standard flush or surface mount BS wall box min. 25mm deep.



### Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Surface
Earth Class Rating	Class II
Operating Temperature	0°C to 45°C
Ingress Protection Rating	IP20
Setting Type	Button Press
Back Box Minimum Depth (mm)	25
Push Buttons	Yes (Boost Button)
Switch type	Single Pole
Mounting Hole Centres (mm)	60
Standby Consumption	<1W

# Data sheet

## TGBT4N

Time / Immersion & General Purpose Timeswitches

<b>Number of Channels</b>	1
<b>Switch rating</b>	13A Resistive, 100W LED, 1000W Halogen, 500W Fluorescent
<b>Shortest Switching Time</b>	15 Minutes
<b>Time Delay Range</b>	15 Minutes to 4 Hours (¼ Hour, ½ Hour, 1 Hour, 2 Hours and 4 Hours)
<b>Permanent ON Facility</b>	No
<b>Multiple Unit Support</b>	No

### General

<b>Weight (g)</b>	113
<b>Height (mm)</b>	85
<b>Width (mm)</b>	85
<b>Depth (mm)</b>	31
<b>Body Construction</b>	Polycarbonate
<b>Product Colour</b>	White
<b>Accessories (Included)</b>	Screws
<b>EAN Number</b>	5012483015186
<b>Guarantee Period</b>	3 Years

# Data sheet

## TGBT4N

Time / Immersion & General Purpose Timeswitches

### Line Diagrams

