

SNO 5 Plus (GB)

SMALL WATER HEATER

PRODUCT-NO.: 204979

Make your water heater the highlight of the room

The good performance you've come to expect with a fresh new look: this small water heater for oversink installation makes a design statement in your room. Not only because this appliance features compact dimensions in a stylish casing, but also because it provides you and your family with hot water in an energy saving and efficient way.



Prevent energy losses effectively

What contributes to the high efficiency of our small water heaters is the fact that the water is heated directly at the draw-off point. This prevents thermal losses and ultimately saves you money. Vary the temperature with the high quality haptic rotary selector. Replacing an older model is very easy, as you can use the same wall mounting bracket for this small water heater.



SNO 10 Plus (GB)

Product-No.: 204984

The main features

Compact and high quality small water heater for oversink installation

Hot water available immediately

Safe use due to adjustable mechanical temperature limit as anti-scalding protection

Very low energy losses thanks to high grade thermal insulation

Quick and easy replacement of older appliances thanks to universal wall mounting bracket

Optimised DHW heating for higher efficiency with ECO mode

Also available with a higher storage volume for a very frequently used draw-off point (commercial)



| Type | SNO 5 Plus (GB) | SNO 10 Plus (GB) |
|----------|-----------------|------------------|
| Part no. | 204979 | 204984 |

Technical data

| | | |
|--|--------------------|--------------------|
| Connected load | 2 kW | 2 kW |
| Rated output 2 | 2,0 kW | 2,0 kW |
| Power supply | 1/N/PE | 1/N/PE |
| Rated voltage | 230 V | 230 V |
| Fuse protection 2 | 10 A | 10 A |
| Frequency | 50-60 Hz | 50-60 Hz |
| Energy efficiency class | A | A |
| Standby energy consumption/24 h at 65 °C | 0.07 kWh | 0.27 kWh |
| Nominal capacity | 5 l | 10 l |
| Mixed water amount at 40 °C | 9,3 l | 19 l |
| Temperature setting range | 35 - 85 °C | 35 - 85 °C |
| Version | Small water heater | Small water heater |
| Type | open | open |
| Installation type | Oversink | Oversink |
| With tap | - | - |
| Colour | white | white |
| Cable length | 0,6 m | 0,6 m |
| Operation | manual | manual |
| Temperature limit | • | • |
| IP rating | IP 24 D | IP 24 D |
| Height | 423 mm | 505 mm |

| | | |
|--------|---------|---------|
| Width | 240 mm | 290 mm |
| Depth | 212 mm | 282 mm |
| Weight | 3.00 kg | 4.60 kg |

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.