

# Product datasheet

Specifications



## Linergy FT - Comb busbar - 63 A - 4 tap-offs - 45 mm pitch



Local distributor code: 23052145 GV2G445

EAN Code : 3389110555882

### Main

|   |   |
|---|---|
| Range                                       | Linergy                                       |
| Product name                                | FT  |
| Device short name                           | GV2G  |
| Product or component type                   | Comb busbar                                   |
| Accessory / separate part category          | Connection accessory                          |
| Poles description                           | 3P  |
| Range compatibility                         | TeSys Deca<br>TeSys GV2<br>TeSys K<br>TeSys U |
| Number of tap-offs                          | 4   |
| [Ith] conventional free air thermal current | 63 A  |
| Connection pitch                            | 45 mm   |

### Complementary

|                               |             |
|-------------------------------|-------------|
| Mounting location             | On terminal |
| [Ui] rated insulation voltage | 690 V       |
| Length                        | 179 mm      |
| Net weight                    | 0.077 kg    |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 1.000 cm  |
| Package 1 Width              | 3.500 cm  |
| Package 1 Length             | 18.000 cm |
| Package 1 Weight             | 78.000 g  |
| Unit Type of Package 2       | S01       |
| Number of Units in Package 2 | 60        |
| Package 2 Height             | 15.000 cm |

|                              |            |
|------------------------------|------------|
| Package 2 Width              | 15.000 cm  |
| Package 2 Length             | 40.000 cm  |
| Package 2 Weight             | 4.930 kg   |
| Unit Type of Package 3       | P06        |
| Number of Units in Package 3 | 1920       |
| Package 3 Height             | 75.000 cm  |
| Package 3 Width              | 60.000 cm  |
| Package 3 Length             | 80.000 cm  |
| Package 3 Weight             | 165.460 kg |


## Offer Sustainability

|                            |  |
|----------------------------|--|
| Sustainable offer status   | Green Premium product                            |
| REACH Regulation           | <a href="#">REACH Declaration</a>                |
| REACH free of SVHC         | Yes  |
| EU RoHS Directive          | Compliant<br><a href="#">EU RoHS Declaration</a> |
| Toxic heavy metal free     | Yes  |
| Mercury free               | Yes  |
| China RoHS Regulation      | <a href="#">China RoHS declaration</a>           |
| RoHS exemption information | Yes  |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>    |
| Circularity Profile        | <a href="#">End of Life Information</a>          |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sets of Busbars GV2G445, GV2G454, GV2G472, with Terminal Block GV2G05



|                     | l   | p  |
|---------------------|-----|----|
| GV2G445 (4 x 45 mm) | 179 | 45 |
| GV2G454 (4 x 54 mm) | 206 | 54 |
| GV2G472 (4 x 72 mm) | 260 | 72 |

| Number of tap-offs | a   |     |     |     |
|--------------------|-----|-----|-----|-----|
|                    | 5   | 6   | 7   | 8   |
| GV2G445            | 224 | 269 | 314 | 359 |
| GV2G454            | 260 | 314 | 368 | 422 |
| GV2G472            | 332 | 404 | 476 | 548 |

**Recommended replacement(s)**