

Linear



Linear halogen lamps offer excellent lumen maintenance, instant illumination and high colour rendition and are widely used in display lighting, up-lighters and floodlights.



- 2,000 hour life
- Energy saving
- R7s cap
- Clear finish
- Dimmable
- UV stop glass
- 240V or 110V
- Internally fused for safety

Product Code	Watts (W)	Volts (V)	Cap	Colour Appearance	Colour Temp (K)	Initial Lumens (lm)	Halogen Equivalent (W)	Dimensions (mm)		Energy Rating	Order Qty
								Dia	H		
Single Carton											
ETH80R7	80	240	R7s	Warm White	2800	1400	100	12	78		100
ETH80R7L	80	240	R7s	Warm White	2800	1400	100	12	117		100
ETH120R7S	120	240	R7s	Warm White	2800	2250	150	12	78		100
ETH120R7L	120	240	R7s	Warm White	2800	2250	150	12	117		100
ETH160R7	160	240	R7s	Warm White	2800	3100	200	12	117		100
ETH230R7	230	240	R7s	Warm White	2800	4650	300	12	117		100
ETH230R7110	230	110	R7s	Warm White	2800	4650	300	12	117		100
ETH400R7	400	240	R7s	Warm White	2800	8550	500	12	117		100
ETH400R7110	400	110	R7s	Warm White	2800	8550	500	12	117		100

The switch-on surge of a mains voltage halogen lamp is higher than that of an incandescent lamp and hence it may be necessary to reduce the total wattage per circuit to avoid nuisance tripping of associated breakers. The use of dimmers will exacerbate this problem and, in extreme circumstances, it may be necessary to reduce the installed wattage by 50% of the breaker's rate capacity. If in any doubt, please contact a qualified electrician.



We have valued our reputation since 1878, why risk yours with anyone else?