

Timers / Hard Wired Timers

Timer 7 Day Mechanical Surface 16A



Technical Specification

Product Code	T104A
Feature 1	Allows control of hot water
Feature 2	Timer ON status indicator
Feature 3	Manual override facility
Feature 4	1 Year Guarantee
Ambient Temperature	20
Barcode	5012739638732
Battery Back Up	N
Boost	N
CE	Y
Class Type	II
Colour	White
Company DUNS Number	216156018

Tel No: 01279 772 772

Email: sales@greenbrook.co.uk

Website: www.greenbrook.co.uk

Connections	Wired
Cord Anchorage	Y
Country of Origin	China
Current (I)	R=16 L=2
Display	Mechanical
Finish body	Matt
Fixings supplied with product	N
Frequency (Hz) max	50
Frequency (Hz) min	50
Greenbrook Guarantee (Years)	1
HS Code	9107000090
Ingress Protection (IP)	IP20
Installation method	Surface mount
Manual Override	Y
Materials Main Body	Polycarbonate
Maximum Load	16A for Immersion Heaters upto 3.5 kW
Min Order Qty	1
No of Channels	1
Operating Temperature Range max C	55
Operating Temperature Range min C	-10
Package Product Max. Length (mm)	225
Package Product Max. Height (mm)	55
Package Product Max. Width (mm)	128
Package Product Weight gross (g)	211
Pollution Degree	Normal
Product (only) Max. Depth (mm)	48.9
Product (only) Max. Height (mm)	126
Product (only) Max. Width (mm)	73
Product Weight net (g)	165
Sales Pack Qty	1

Tel No: 01279 772 772

Email: sales@greenbrook.co.ukWebsite: www.greenbrook.co.uk

Settings	On/Timed/Off Switch Selector 84 On / Off, On/Timed/Off Switch Selector
Shortest Switching Time	2 hours
StatusCode	Active
Timer Switch Type	MICRO- DISCONNECTION LIVE POLE ONLY
UKCA	Y
Voltage (VAC) MAX (V)	240
Voltage (VAC) Min (V)	220
Voltage (VAC) Rated (V)	230

Tel No: 01279 772 772

Email: sales@greenbrook.co.ukWebsite: www.greenbrook.co.uk