



Main

Range of product	Mita
Product name	TRK
Product or component type	Mounting frame
Colour tint	White
Quantity per set	Set of 10

Complementary

Trunking dimension	100 x 50 mm 100 x 100 mm
Number of gangs	1 gang
Fixing mode	Screw-fixed
Material	UPVC (unplasticized polyvinyl chloride)

Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.82 cm
Package 1 Width	7.83 cm
Package 1 Length	7.83 cm
Package 1 Weight	54 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	11 cm
Package 2 Width	19 cm
Package 2 Length	23 cm
Package 2 Weight	544 g
Unit Type of Package 3	PAM
Number of Units in Package 3	2400
Package 3 Height	115 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	130.56 kg

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations