


# Product datasheet

Specifications



## extension collar - 2 gang - 19 mm

Local distributor code:

20143808

CEC219W

**EAN Code: 3606480486692**

### Main

|                           |  |
|---------------------------|--|
| Range Of Product          | Mita   |
| Product Name              | Cableline 50<br>Ultimate 62<br>Ultimate 60<br>Cableline 40 |
| Product Or Component Type | Extension collar   |
| Colour Tint               | White  |
| Quantity Per Set          | Set of 10  |

### Complementary

|                    |  |
|--------------------|--|
| Trunking Dimension | 145W x 40 mm<br>150 x 60 mm<br>145 x 40 mm<br>180W x 52 mm<br>180 x 52 mm<br>190 x 62 mm<br>180V x 52 mm<br>145V x 40 mm |
| Number Of Gangs    | 2 gangs  |
| Fixing Mode        | Screw-fixed  |
| Material           | UPVC (unplasticized polyvinyl chloride)  |
| Depth              | 19 mm  |

### Environment

|                                       |                                  |
|---------------------------------------|----------------------------------|
| Standards                             | EN 50085-2-1<br>EN 50085-1: 2005 |
| Ambient Air Temperature For Operation | -5...60 °C                       |

### Packing Units

|                              |        |
|------------------------------|--------|
| Unit Type Of Package 1       | PCE    |
| Number Of Units In Package 1 | 1      |
| Package 1 Height             | 1.9 cm |
| Package 1 Width              | 8.7 cm |
| Package 1 Length             | 13 cm  |
| Package 1 Weight             | 44 g   |
| Unit Type Of Package 2       | CAR    |
| Number Of Units In Package 2 | 10     |

|                              |          |
|------------------------------|----------|
| Package 2 Height             | 11 cm    |
| Package 2 Width              | 19 cm    |
| Package 2 Length             | 23 cm    |
| Package 2 Weight             | 440 g    |
| Unit Type Of Package 3       | PAM      |
| Number Of Units In Package 3 | 2400     |
| Package 3 Height             | 115 cm   |
| Package 3 Width              | 100 cm   |
| Package 3 Length             | 120 cm   |
| Package 3 Weight             | 105.6 kg |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

**Reach Regulation**

[REACH Declaration](#)

**Eu Rohs Directive**

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

**China Rohs Regulation**

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

**Environmental Disclosure**

[Product Environmental Profile](#)

**Circularity Profile**

No need of specific recycling operations