



# MASTER TL-D Super 80

## Controls and Dimming

Dimmable	Yes
----------	-----

## Approval and Application


Energy efficiency label (EEL)	A
Mercury (Hg) content (nom.)	3.0 mg
Energy consumption kWh/1,000 hours	81 kWh

## Product Data

Full product code	871150061592340
Order product name	MASTER TL-D Super 80 70W/840 SLV/25

EAN/UPC – product	8711500615923
Order code	61592340
Local order code	70840
SAP numerator – quantity per pack	1
Numerator – packs per outer box	25
SAP material	927923884014
SAP net weight (piece)	199.900 g
ILCOS code	FD-70/40/1B-E-G13


## Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D Super 80 70W/840 SLV/25	28 mm	1763.8 mm	1770.9 mm	1768.5 mm	1778 mm

## TL-D 70W/840

## Photometric data




## Lightcolour /840



## Lightcolour /840

# MASTER TL-D Super 80

## Lifetime



LDLE\_TL-D8\_0001-Life expectancy diagram

LDLE\_TL-D8\_0002-Life expectancy diagram



LDLM\_TL-D8\_0001-Lumen maintenance diagram

