



PL-Q 2 Pin

PL-Q 16W/835/2P 1CT/10BOX

Compact fluorescent lamps with a quadrant-like shape

Warnings and Safety

- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information	
Cap base	GR8 [GR8]
Life to 10% failures (nom.)	6000 h
Life to 50% failures (nom.)	8000 h
LSF 2000 h Rated	99 %
LSF 4000 h Rated	96 %
LSF 6000 h Rated	89 %
LSF 8000 h Rated	73 %
Light Technical	
Colour Code	835 [CCT of 3,500 K]
Luminous flux (nom.)	1050 lm
Luminous flux (rated) (nom.)	1050 lm
Colour designation	White (WH)
Correlated Colour Temperature (Nom)	3500 K
Luminous efficacy (rated) (nom.)	66.6 lm/W
Colour rendering index (nom.)	82

LLMF 2000 h Rated	90 %
LLMF 4000 h Rated	85 %
LLMF 6000 h Rated	82 %
LLMF 8000 h Rated	80 %
LLMF 12000 h Rated	79 %
LLMF 16000 h Rated	78 %
LLMF 20000 h Rated	77 %

Operating and Electrical

Power (Rated) (Nom)	16.0 W
Lamp current (nom.)	0.195 A

Temperature

Design temperature (nom.)	25 °C
---------------------------	-------

PL-Q 2 Pin

Controls and Dimming

Dimmable	No
----------	----

Mechanical and Housing

Cap-base information	2P
----------------------	----

Approval and Application

Energy efficiency label (EEL)	B
Mercury (Hg) content (nom.)	4.0 mg
Energy consumption kWh/1,000 hours	20 kWh

Product Data

Full product code	871150026966925
-------------------	-----------------

Order product name	PL-Q 16W/835/2P 1CT/10BOX
--------------------	---------------------------

EAN/UPC – product	8711500269669
-------------------	---------------

Order code	26966925
------------	----------

Local order code	26966925
------------------	----------

SAP numerator – quantity per pack	1
-----------------------------------	---

Numerator – packs per outer box	10
---------------------------------	----

SAP material	927939083540
--------------	--------------

SAP net weight (piece)	68.000 g
------------------------	----------


ILCOS code	FSS-16/35/1B-I-GR8
------------	--------------------

Dimensional drawing


Product	U (max)	D (max)	D1 (max)	C (max)	C1 (max)	F (max)	E (max)
PL-Q 16W/ 835/2P 1CT/ 10BOX	40 mm	13.7 mm	27.0 mm	138 mm	49 mm	40.5 mm	135 mm

PL-Q 16W/835/2P

Photometric data




Lightcolour /835



Lightcolour /835


PL-Q 2 Pin

Lifetime



LDLE_PLQ2P_0001-Life expectancy diagram

LDLE_PLQ2P_0002-Life expectancy diagram



LDLM_PLQ2P_0001-Lumen maintenance diagram

