


Central Hanging Plate (Ref: 67010046)



Description

For the ceiling mounting of Rejiband® wire mesh tray in widths from 100 to 200 mm with a single rod for indoor installations, in . It facilitates the inserting of cables from the side and saves on installation time when mounted by means of a threaded rod and nuts. Made of steel, finished in electrogalvanised EG.

Advantages

The ceiling mount allows the introduction of cables into the tray from the side, saves in installation time and cost of material.

Thanks to its shape it adapts easily for anchoring to the rods.

Suitable for tray widths from 100 to 200 mm inclusive.

Available in various diameters: M6, M8 and M10.

Electrogalvanised finish (standard EN-ISO 2081), silver colour, suitable for indoor installations. Corrosion resistance class 3.

Applications

Suitable for the ceiling mounting of Rejiband in widths from 100 to 200 mm by means of a single rod in indoor installations in a dry atmosphere with no contaminants, exterior, industrial, marine, rural or aggressive interior installations.

Solutions



Central Hanging Plate (Ref: 67010046)

Product data

Finish	E.G.	Resistance Class	Class 3
Fire Resistance	A1 No combustible	SWL (kg)	70
kg/u	0.033	u	20 u
M	M10	Working temperature range (°C)	-50°/ 150°
Material	Steel with surface coating		

Coatings

PG/GS - Pre-Galvanised Finish. Resistance to corrosion according to EN-10346. Adequate for indoor installations.

EZ - Electrogalvanized, white, according to EN ISO 2081. Electrolytic zinc protection adequate for indoor installations.

BC - Electrogalvanized Bycro, yellow, in compliance with EN ISO 2081. Improved resistance to corrosion, especially adequate for demanding indoor installations.

GC - Hot-dipped galvanizing in compliance with EN ISO 1461. Appropriate for outdoor installations and aggressive environments.

BLACK C8 - High Resistance coating, Black Colour. Neutral Salt Spray Chamber test >1000 h acc. to ISO 9227.

304 and 316L stainless steel, in compliance with EN 10088 standard, with passivated Thermicon treatment. Appropriate for outdoor installations and highly aggressive environments.



Central Hanging Plate (Ref: 67010046)

Product applications

□ □ □ □

