

MLB3000

3000W Night Eye PIR Light Controller - Black

Features & Benefits

- Light ON times Adjustable
- Scrolling LED 'System Live' Status Acts As Advance Deterrent
- Adjustable Light Level Control
- Manual ON/OFF Override
- Optional holiday mode between 1 & 8 hours
- Direct Mount Bracketless Fixing
- IP55 Weatherproof Rating



Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Surface Mount
Earth Class Rating	Class II
Operating Temperature	0°C to 40°C
Ingress Protection Rating	IP55
Setting Type	Dial
Max Mounting Height (Mtr)	2.5
Motion Detection (Mtr)	12
Detection Angle	200°
Pan & Tilt Adjustment	50° Left/Right From Centre

Data sheet

MLB3000

Light / PIR Lighting Controllers

Mounting Hole Centres (mm)	45
Standby Consumption	<1.2W
Number of Channels	1
Switch rating	140W LED, 3000W Halogen, 500W Fluorescent Lighting, 150W Discharge Lighting
ON Time Adjustment	5 Seconds to 18 Minutes
Lux Level	20 to 1000
Detection Range (Mtr)	12
Permanent ON Facility	Yes (Pulse Override)
Dusk Till Dawn	No
Multiple Unit Support	Yes
Cable Entry(s)	Back Entry

General

Weight (g)	256
Height (mm)	139
Width (mm)	72
Depth (mm)	121
Body Construction	Polycarbonate
Product Colour	Black
Accessories (Included)	Fittings (Rawl Plugs, Screws)
EAN Number	5012483010853
Guarantee Period	3 Years

Line Diagrams

