

# NTT08

## 7 Day Slimline Electronic Immersion Heater Timeswitch



### Features & Benefits

- Easy Slide' Program Button Cover to Prevent Accidental/Casual Tampering
- Extra large Screen With Blue LED Backlighting
- Red LED 'Mains ON' and Green LED 'Output' Indicators
- Large Programme Buttons
- Self-Cancelling Override Button To Next Programme Change
- Optional 1 & 2 hour Boost Button
- Automatic Summer/Winter Time Change
- Rechargeable Battery Back-up

### Technical Data

<b>Operating Voltage</b>	230V AC
<b>Frequency</b>	50Hz
<b>Installation Type</b>	Surface Mount
<b>Earth Class Rating</b>	Class II
<b>Operating Temperature</b>	0°C to 40°C
<b>Ingress Protection Rating</b>	IP20
<b>Setting Type</b>	Digital
<b>Battery Type</b>	NiMH 1.2V 80mAh Rechargeable Battery

# Data sheet

## NTT08

Time / Immersion & General Purpose Timeswitches

<b>Power Reserve</b>	672 Hours (28 Days)
<b>Program Modes</b>	24 Hour/7 Day, 1 Hour/2Hour Boost
<b>Switch type</b>	Single Pole
<b>Mounting Hole Centres (mm)</b>	90
<b>Standby Consumption</b>	<0.96W
<b>Number of Channels</b>	1
<b>Switch rating</b>	16A Resistive, Inductive 4A, 100W LED
<b>Shortest Switching Time</b>	1 Minute
<b>Programmable Slots</b>	4 ON 4 OFF
<b>Permanent ON Facility</b>	Yes (Override ON)
<b>Cable Capacity (mm<sup>2</sup>)</b>	1.5 - 2.5mm <sup>2</sup> Flexible Cable
<b>Cable Entry(s)</b>	Back Entry (Knockouts), Bottom Entry

### General

<b>Weight (g)</b>	186
<b>Height (mm)</b>	121
<b>Width (mm)</b>	74
<b>Depth (mm)</b>	42
<b>Body Construction</b>	Polycarbonate
<b>Product Colour</b>	White
<b>Accessories (Included)</b>	Fittings (Rawl Plugs, Screws)
<b>EAN Number</b>	5012483012369
<b>Guarantee Period</b>	3 Years

# Data sheet

## NTT08

Time / Immersion & General Purpose Timeswitches

### Line Diagrams

