

Cableline 50 - end cap - 180 x 52 mm

Local distributor code:

380650455

ELS3W

! To be discontinued on: 5 Oct 2024

! To be end-of-service on: 11 Oct 2028

EAN Code: 3606480488788

Main

Product name	Cableline 50
Product or component type	End cap
Colour tint	White
Quantity per set	Set of 2

Complementary

Trunking dimension	180 x 52 mm
material with surface finish	UPVC (unplasticized polyvinyl chloride)

Environment

Ambient air temperature for	-560 °C
onoration	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	6.100 cm
Package 1 Length	19.000 cm
Package 1 Weight	71.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	2
Package 2 Height	3.000 cm
Package 2 Width	6.100 cm
Package 2 Length	19.000 cm
Package 2 Weight	142.000 g
Unit Type of Package 3	CAR
Number of Units in Package 3	200
Package 3 Height	38.000 cm
Package 3 Width	51.000 cm
Package 3 Length	58.000 cm

Package 3 Weight 16.200 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations