

SN 15 SL GB

PRODUCT-NO.: 227682

Die Kleinspeicher SN eignen sich zur Versorgung einer Entnahmestelle und werden übertisch montiert. Die Geräte können stufenlos von 35 °C bis 85 °C eingestellt werden, sodass immer Wasser gleicher Wärme zur Verfügung steht. Die Temperaturbegrenzung sorgt immer für eine sichere maximale Auslaufftemperatur. Sie lässt sich wahlweise auf 38 °C, 45 °C, 55 °C oder 65 °C begrenzen. Die hocheffiziente Wärmedämmung der Kleinspeicher sorgt immer für geringste Energieverluste.



The main features

Small water heater, 15 litre capacity

For supplying one draw-off point with DHW

Extremely large mixed water volume

Low standby loss

Energy saving setting 60 °C

Splashproof in accordance with IP 24

Power cable for permanent connection, approx. 1 m

Small water heater and tap kit

Higher cylinder volume for a heavily frequented draw-off point (commercial)



Type	SN 15 SL GB
Part no.	227682

Technical data

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.